

MICROFLOWTM SIDE-STREAM CAPNOGRAPHY.



Developed for point of care capnography monitoring of intubated or non-intubated patients in surgery, dentistry, procedural sedation, pre-op preparation, anesthesia recovery, and intensive / critical care, the Capno-5 provides:

- Real-time CO₂ waveforms (capnogram)
- End-tidal CO2 (ETCO2)
- Fractional inspired CO₂ (FiCO₂)
- Respiratory rate (RR)
- Audible and visual apnea alarms
- Delivered with table mount





With the very low sample flow rate of 50 ml per minute, the Capno-5 is suitable for use in a wide range of veterinary patients, including cats and dogs of all sizes!

And unlike all mainstream capnographs, which are not designed for use in dentistry and non-intubated patients, the Capno-5 can be used in all procedures for intubated or non-intubated patients.

Technical features:

The Capno5 includes:

- ✓ Moisture trap
- √Airway Adapter
- √AC power adapter
- \checkmark Table mount

Data ranges

- ✓ Sample flow rate:! 50 ml / min.
- ✓ Respiration range: 2-150 bpm
- ✓ Dimensions: 155 x 68 x 35 mm
- ✓ Weight: 340 gr
- ✓ Display: 3.5'' (8.9 cm)
- ✓ Battery autonomy: up to 10 hours



✓ LONG-LIFE BATTERY (UP TO 10 HOURS OF USE)

✓ LARGE DISPLAY
3.5'' (8.9 cm)

